Toxicology, 79 (1993) 247–248
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

VOLUME CONTENTS

Volume 79 (1993)

Announcement from the Publisher v

Effect of selenium (Se) on plasma ACTH, β-endorphin, corticosterone and glucose in rat: influence of adrenal enucleation and metyrapone pretreatment **(Increases in plasma glucose levels following selenium challenge appear to be mediated through activation of the hypothalamic-pituitary adrenal axis)**
by R.A. Potmis, V.K. Nonavinakere, H.R. Rasekh and J.L. Early II (Tallahassee, FL)..... 1–9

Teratogenic phase specificity of butyl benzyl phthalate in rats **(The teratogenicity of BBP varies with the developmental stage of the embryo at the time of exposure)**
by M. Ema, T. Itami and H. Kawasaki (Osaka, Japan) 11–19

Strain differences in the response of Fischer 344 and Sprague–Dawley rats to monocrotaline induced pulmonary vascular disease **(Strain differences appear to be related rather to the pulmonary response than to differences in hepatic metabolism)**
by L.C. Pan, D.W. Wilson and H.J. Segall (Davis, CA) 21–35

Protection against paraquat-induced toxicity with sulfite or thiosulfate in mice **(Protection against paraquat toxicity may be related to its redox activity rather than to its nucleophilicity)**
by H.-aki Yamamoto (Ibaraki, Japan) 37–43

Extrarenal and direct renal actions of atractyloside contribute to its acute nephrotoxicity in pentobarbital-anesthetized dogs **(Extrarenal effects contributing to nephrotoxicity include hypoglycemia, respiratory depression and hypoxemia)**
by D.A. Koechel and M.E. Krejci (Toledo, OH) 45–66

Examination of the structure-toxicity relationships of L-cysteine-*S*-conjugates of halogenated alkenes and their corresponding mercapturic acids in rat renal tissue slices **(There is agreement between in vivo and in vitro toxicities, generally cysteine conjugates are more toxic than mercapturic acids)**
by G.J. Stijntjes, J.N.M. Commandeur, J.M. te Koppele, S. McGuinness, A.J. Gandolfi and N.P.E. Vermeulen (Amsterdam, The Netherlands; Tucson, AZ) 67–79

Reduction of hepatic phosphoenolpyruvate carboxykinase (PEPCK) activity by 2,3,7,8-tetrachloro-dibenzo-*p*-dioxin (TCDD) is due to decreased mRNA levels **(TCDD decreases the PEPCK and tryptophan 2,3 dioxygenase levels while including cytochrome P-450 1A1)**
by B.U. Stahl, D.G. Beer, L.W.D. Weber and K. Rozman (Kansas City, KS; Neuherberg, Germany) 81–95

Announcement 97

Nephrotoxicity of borocaptate after short-term administration in rabbits **(Histopathologic examination shows that seven doses of 50 mg/kg are nephrotoxic)**
by I. Janků, E. Buchar and Z. Jiřička (Prague, Czechoslovakia) 99–108

Environmental exposure to cadmium and human birthweight **(This paper discusses a possible influence of low cadmium levels on placental function)**
N. Fréry, C. Nessmann, F. Girard, J. Lafond, T. Moreau, P. Blot, J. Lellouch and G. Huel (Villejuif and Paris, France; Montreal, Canada) 109–118

Autoimmune glomerulonephritis induced by mercury vapour exposure in the Brown Norway rat **(Regardless of route of exposure mercury elicits a renal autoimmune response which is dose-dependent. Calculations of uptake from vapour)**
by J. Hua, L. Pelletier, M. Berlin and P. Druet (Lund, Sweden; Paris, France) 119–129

Induction of a 70-kDa protein in human lymphocytes exposed to inorganic heavy metals and toxic organic compounds **(Description of a potentially protective protein)**
by H. Yamada and S. Koizumi (Kawasaki, Japan) 131–138

Effect of *N*-(3,5-dichlorophenyl)-2-hydroxy-succinimide on renal function and hemodynamics in the anesthetized rat **(Decreased tubular reabsorption precedes reduction of glomerular filtration rate and of renal blood flow)**
by K.W. Beers and G.O. Rankin (Huntington, WV) 139–148

Effectiveness of sodium 4,5-dihydroxybenzene-1,3-disulfonate (Tiron) in protecting against uranium-induced developmental toxicity in mice **(Tiron does not seem to be very effective in protecting against toxicity)**
by M.A. Bosque, J.L. Domingo, J.M. Llobet and J. Corbella (Reus and Barcelona, Spain) 149–156

Malaoxon-induced neurotoxicity in old rats: alterations in cerebral inositol lipid signalling, brain tissue calcium levels and early neuronal injury **(Organophosphate-induced convulsions are accompanied by increased phosphoinositol and calcuim levels)**
by M.-R. Hirvonen, L. Paljärvi and K.M. Savolainen (Kuopio, Finland) 157–167

Modification of P450 activity and its effect on 1,2-dichlorobenzene toxicity in Fischer 344 rats **(1,2-Dichlorobenzene damages proximal tubuli in the kidney and induction of P450 isozymes leads to enhanced damage)**
by M.A. Valentovic, J.G. Ball, D. Anestis and E. Madan (Huntington, WV) 169–180

Renal and hepatic toxicity of monochloroacetanilides in the Fischer 344 rat **(Chloroacetanilides are generally less toxic to liver and kidney than are the corresponding chloroanilines, *N*-acetylation thus being a potential detoxification mechanism)**
by G.O. Rankin, M.A. Valentovic, K.W. Beers, D.W. Nicoll, J.G. Ball, D.K. Anestis, P.I. Brown and J.L. Hubbard (Huntington, WV) 181–193

Glutathione as a cellular defence against arsenite toxicity in cultured Chinese hamster ovary cells **(Two hour pretreatment of cell cultures with GSH decreases some cytotoxic effects of arsenite)**
by H. Huang, C.F. Huang, D.R. Wu, C.M. Jinn and K.Y. Jan (Hsinchu, Taiwan; Taipei, Republic of China) 195–204

Evaluation of the effects of methanol during early pregnancy in the rat **(Methanol impairs uterine decidualization)**
by A.M. Cummings (Research Triangle Park, NC) 205–214

Early aspects of the intrarenal distribution of mercury after the intravenous administration of mercuric chloride **(Within the first 3 hours after injection, 50% of mercury is within the total renal mass)**
by R.K. Zalups (Macon, GA) 215–228

Acknowledgement to Reviewers 229–232

Announcements 233–235

Contents of Journals relating to Toxicology 237–240

Subject Index Volume 79 241–243

Author Index Volume 79 245

Contents Volume 79 247–248